

Oasys



Oasys GSA

Result Import

Oasys

YOUR IDEAS BROUGHT TO LIFE

8 Fitzroy Street
London
W1T 4BJ
Telephone: +44 (0) 20 7755 4515

Central Square
Forth Street
Newcastle Upon Tyne
NE1 3PL
Telephone: +44 (0) 191 238 7559

e-mail: oasys@arup.com
Website: oasys-software.com

Oasys GSA

© Oasys 1985 – 2021

All rights reserved. No parts of this work may be reproduced in any form or by any means - graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems - without the written permission of the publisher.

Products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

While every precaution has been taken in the preparation of this document, the publisher and the author assume no responsibility for errors or omissions, or for damages resulting from the use of information contained in this document or from the use of programs and source code that may accompany it. In no event shall the publisher and the author be liable for any loss of profit or any other commercial damage caused or alleged to have been caused directly or indirectly by this document.

Contents

GSA Result Import	5
Required keywords	5
Supported keywords	5

GSA Result Import

Normally GSA is used to build and analyse models, but on occasions it is useful to bring results into GSA which may have been generated in some other program. This can be done with the Import | Results command, which uses a GWA format and requires some keywords to create a dummy analysis tasks and cases.

Required keywords

The file should contain a TASK record. This should be set to type generic e.g.

```
TASK → <task> → <name> → <stage> → GENERIC
```

The **GENERIC** option tells GSA that this is a generic case which it cannot analyse.

Then for each analysis case an ANAL record

```
ANAL → <case> → <name> → <task> → R#
```

The **R#** option tells GSA that this is a response case and gives the case number.

Supported keywords

Once these headers are defined the rest of the file can be a GWA file with results. The following keywords can be included:

DISP	nodal displacements
ROTN	nodal rotations
DISP_ELEM	element displacements
ROTN_ELEM	element rotations
FORCE	0D/1D element forces
MOMENT	0D/1D element moments
FORCE_2D	2D element forces
MOMENT_2D	2D element moments
SHEAR_2D	2D element shear forces
STRESS_2D	2D element stresses
STRESS_3D	3D element stresses
REACT_FORCE	nodal reaction forces
REACT_MOMENT	nodal reaction moments
TOTAL_FORCE	total forces
TOTAL_MOMENT	total moments
GLOB_ENERGY	global energy
MAT_ENERGY	material energy
STRAIN_ENERGY	element strain energy